



105VB

1:5 Composite Video Distribution Amplifier



The **105VB** is a high-performance distribution amplifier for composite video signals. It takes one input, provides correct buffering and isolation and distributes the signal to five identical outputs.

FEATURES

- Bandwidth - 400MHz (-3dB).
- Connectors - BNC (105V has RCA).
- Level (Gain) Control.
- Compact Kramer TOOLS™ - 3 units can be rack mounted side-by-side in a 1U rack space with the optional RK-3T rack adapter.

TECHNICAL SPECIFICATIONS

INPUT:	1 composite video, 1Vpp/75Ω on a BNC connector.
OUTPUTS:	5 composite video, 1Vpp/75Ω on BNC connectors.
MAX. VIDEO OUTPUT:	2Vpp.
VIDEO BANDWIDTH (-3DB):	400MHz.
DIFF. GAIN:	0.1%.
DIFF. PHASE:	0.1Deg.
K-FACTOR:	<0.05%.
S/N RATIO:	80dB.
CONTROL:	Up to +6dB.
COUPLING:	AC.
POWER CONSUMPTION:	12V DC, 100mA.
INCLUDED ACCESSORIES:	Power supply, mounting bracket.
OPTIONS:	RK-3T 19" rack adapter.
PRODUCT DIMENSIONS:	12.00cm x 7.15cm x 2.44cm (4.72" x 2.81" x 0.96") W, D, H
PRODUCT WEIGHT:	0.2kg (0.5lbs) approx.
SHIPPING DIMENSIONS:	23.20cm x 12.00cm x 8.90cm (9.13" x 4.72" x 3.50") W, D, H
SHIPPING WEIGHT:	0.7kg (1.5lbs) approx.

