



HDCP-OUT4-F32

4-Channel DVI (HDCP) Output Card



HDCP-OUT4-F32 is a four-channel HDMI over DVI (HDCP) output card for the VS-3232 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-OUT4-F32 outputs four HDMI/HDCP signals from the chassis.

FEATURES

- Max. Data Rate - 6.75Gbps (2.25Gbps per graphic channel).
- HDCP Compliant.
- HDMI Support.
- 3D Pass-Through.
- DVI Connectors.

TECHNICAL SPECIFICATIONS

OUTPUTS	4 DVI-D on DVI Molex 24-pin (F) connectors.
BANDWIDTH PER CHANNEL:	2.25Gbps.
TOTAL BANDWIDTH:	6.75Gbps.
3D PASS THROUGH:	Supported.
POWER CONSUMPTION:	9W.
OPERATING TEMPERATURE:	0° to +40°C (32° to 104°F).
STORAGE TEMPERATURE:	-40° to +70°C (-40° to 158°F).
HUMIDITY:	10% to 90%, RHL non-condensing.
STANDARD COMPLIANCE:	HDCP, HDMI.
SAFETY REGULATORY COMPLIANCE:	CE, FCC.
ENVIRONMENTAL REGULATORY COMPLIANCE:	Complies with appropriate requirements of RoHs and WEEE.
PRODUCT DIMENSIONS:	22.00cm x 18.80cm x 2.00cm (8.66" x 7.40" x 0.79") W, D, H
PRODUCT WEIGHT:	0.3kg (0.6lbs) approx.
SHIPPING DIMENSIONS:	27.00cm x 23.00cm x 5.60cm (10.63" x 9.06" x 2.20") W, D, H
SHIPPING WEIGHT:	0.4kg (0.9lbs) approx.