



VP-409

Video to Computer Graphics ProScale™ Digital Scaler (up to WUXGA)



The **VP-409** is a high-quality video scaler for composite and s-Video (Y/C) video signals. The unit scales the video to a selectable computer graphics video output signal on a 15-pin HD connector.

FEATURES

- CV and Y/C Inputs.
- Multi-Standard - PAL (B/D/G/H/I) & NTSC (3.58/4.43).
- Output Resolutions - VGA, SVGA, XGA, 1280x800, 1366x768, WSXGA, SXGA, 1400x1050, 1680x1050, UXGA, 1920x1080, and WUXGA.
- Built-in De-interlacer and Comb Filter.
- Non-Volatile Memory - Retains last settings.
- Controls - Front panel buttons for choosing input signal and output resolution.
- External DC Power Source.
- Compact Kramer TOOLS™ - 3 units can be rack mounted side-by-side in a 1U rack space with the optional RK-3T rack adapter.

TECHNICAL SPECIFICATIONS

| | |
|-----------------------|--|
| INPUTS: | 1 composite video, 1Vpp/75Ω on an RCA connector; 1 Y/C (s-Video), 1Vpp/75Ω (Y), 0.3Vpp/75Ω (C) on a 4-pin connector. |
| OUTPUT: | 1 VGA (VGA through WUXGA) on a 15-pin HD computer graphics video connector. |
| OUTPUT RESOLUTIONS: | VGA, SVGA, XGA, 1280x800, 1366x768, WSXGA, SXGA, 1400x1050, 1680x1050, UXGA, 1920x1080, and WUXGA. |
| OUTPUT REFRESH RATE: | 60Hz. |
| CONTROLS: | Pushbuttons and LEDs for selection of input source and output resolution. |
| POWER CONSUMPTION: | 5V DC, 550mA. |
| INCLUDED ACCESSORIES: | Power supply. |
| OPTIONS: | RK-3T 19" rack adapter. |
| PRODUCT DIMENSIONS: | 12.00cm x 7.15cm x 2.44cm (4.72" x 2.81" x 0.96") W, D, H |
| PRODUCT WEIGHT: | 0.4kg (1.0lbs) approx. |
| SHIPPING DIMENSIONS: | 15.70cm x 12.00cm x 8.70cm (6.18" x 4.72" x 3.43") W, D, H |
| SHIPPING WEIGHT: | 0.9kg (2.0lbs) approx. |

